

User Guide  
**NOTAM Search**

**Version 3.2**

**July 2020**

U.S. DEPARTMENT OF TRANSPORTATION  
FEDERAL AVIATION ADMINISTRATION

This page intentionally left blank.

## Contents

	Page
Chapter 1. About the NOTAM Search User Guide .....	1
1.1. Purpose.....	1
1.2. Intended Users .....	1
1.3. Content Overview .....	1
1.4. Navigating This User Guide .....	1
1.5. Limitations .....	2
Chapter 2. Introduction to FNS NOTAM Search .....	3
2.1. Background.....	3
2.2. Access to NOTAM Search .....	3
2.3. NOTAM Search Points of Contact .....	3
2.4. Overview of Class Definitions.....	4
Chapter 3. Overview of NOTAM Search Features.....	6
3.1. Create an account.....	6
3.2. Log In.....	7
3.3. Search Screen.....	8
3.4. Search Options .....	8
3.4.1. Search By: Location allows you to search for active NOTAMs based on the affected location designator(s) of the NOTAM. ....	9
3.4.2. Search By: Flight Path allows you to enter 2 to 20 airports, navigational aids, named fixes, and/or routes/airway designators to define a flight path. ....	10
3.4.3. Search By: Geography allows you search for active NOTAMs within a geographic area. Search parameters include:.....	12
3.4.4. Search By: Lat/Long allows you to search for active NOTAMs based on specific coordinates for the desired location. ....	12
3.4.5. Search By: Free Text allows you to search for active NOTAMs based on a keyword, airport designator, NOTAM number and/or scenario.....	13
3.4.6. Search By: Accountability allows you to search for NOTAMs based on the accountability designator. Accountability refers to the facility/airport responsible for the issuance of the NOTAM (e.g. DCA, DEN, LAS). ....	13
3.4.7. Search By: Archive Search allows you to search for active NOTAMs for a specific date. ....	14

3.4.8. Search By: NOTAMs Around Me will display all NOTAMs within 20 nautical miles (NM) of your current Lat/Long location.....	14
3.4.9. Search By: Predefined Queries allows you to search for specific groups of NOTAMs .....	14
3.5. Accessing TFR NOTAMs .....	16
3.5.1. Using Location Query .....	17
3.5.2. Using Flight Path Query.....	17
3.5.3. Using Geography, Lat/Long Query and NOTAMs Around Me .....	17
3.5.4. Predefined Queries .....	18
3.6. Main Screen .....	19
3.7. Administrative Toolbar.....	20
3.8. Search Results.....	22
3.9. Filters and Special Icons Pane .....	23
3.9.1. List View will display the NOTAM information in block format. The following information will be displayed: .....	23
3.9.2. Table View will display the NOTAMs in a condensed format. Column headers along the top will allow the user to sort NOTAMs by selecting a specific column header.....	24
3.9.3. Map View will display a map of the selected search parameters (e.g. location, flight path, etc.) Specific icons can be selected to view: Airports, Nav aids, ARTCC facilities, Weather, and RCO. ....	24
3.9.4. Filters allow the user to select one or more classes of NOTAMs and filter the list accordingly. The user can also specify a particular date and time. ....	25
3.9.5. Sort options allow sorting by affected location, NOTAM #, class, start date (UTC), end date (UTC) and NOTAM condition in ascending or descending order. ....	26
3.9.6. The Count filter includes the following features:.....	26
3.9.7. Construction Notices .....	27
3.9.8. Letters to Airmen Notices .....	27
3.9.9. Export to PDF.....	28
3.9.10. Export to Excel.....	28
3.10. Save Query.....	29
3.11. Special Icons/NOTAM Summary Pane .....	29
3.11.1. Aerodrome Surface CLSD .....	29

3.11.2.	Military NOTAM .....	29
3.11.3.	Digital NOTAM .....	29
3.11.4.	Field Condition (FICON) .....	29
3.11.5.	NOTAM History Available .....	29
3.12.	NOTAM Details .....	30

## Figures

	Page
Figure 1: Feedback Pop-Up .....	4
Figure 2: Creating an Account .....	6
Figure 3: Log In .....	7
Figure 4: Search Screen .....	8
Figure 5: Search Options .....	9
Figure 6: Search By Location .....	9
Figure 7: Search By Flight Path.....	11
Figure 8: Search By Geography.....	12
Figure 9: Search By Lat/Long.....	12
Figure 10: Search By Free Text .....	13
Figure 11: Search By Accountability.....	13
Figure 12: Search By Archive Search.....	14
Figure 13: Search By NOTAMs Around Me.....	14
Figure 14: Search By Predefined Queries.....	14
Figure 15: TFR Filter .....	16
Figure 16: Using the TFR Filter in Location Query .....	17
Figure 17: Using the TFR Filter in Flight Path Query.....	17
Figure 18: Using the TFR Filter in Geography Query.....	18
Figure 19: Overview of the Main Screen.....	19
Figure 20: Administrative Toolbar .....	20
Figure 21: Preferences .....	21
Figure 22: Search Results Pane and Options .....	22
Figure 23: Filters and Special Icons Pane.....	23
Figure 24: List View .....	23
Figure 25: Table View .....	24
Figure 26: Map View .....	24
Figure 27: Filter Options.....	25
Figure 28: Sort Options.....	26
Figure 29: Count by Identifier .....	26
Figure 30: Construction Notices in the Search Results .....	27
Figure 31: Letters to Airmen Notice in the Search Results .....	27
Figure 32: NOTAM Details Pane and Options.....	30

## Chapter 1. About the NOTAM Search User Guide

This user guide supports individuals using the Federal NOTAM System (FNS) NOTAM Search System to search for active Notices to Airmen (NOTAMs). This chapter describes the purpose, the intended users, and the contents of this document.

### 1.1. Purpose

This user guide serves as the primary resource for information regarding the use of NOTAM Search. In the event that you have a question that is not addressed by this user guide, contact the Federal NOTAM System (FNS) support team by using the method listed in Chapter 2.

### 1.2. Intended Users

This user guide is designed for individuals searching for active NOTAMs in the National Airspace System (NAS) using NOTAM Search. These individuals are typically pilots, airline dispatchers, and airport authority personnel. These users can search for NOTAMs based on location, accountability, geography and free text, filter the results, as well as generate reports based on search results.

### 1.3. Content Overview

This user guide provides information about NOTAM Search in a series of three chapters, as follows:

- **Chapter 1** describes the purpose of this document, the intended users, and provides an overview of the contents of subsequent chapters.
- **Chapter 2** provides background information on NOTAM Search, access to the website, how to submit feedback about the site, and an overview of the use of NOTAM class in NOTAM Search.
- **Chapter 3** provides an overview of the NOTAM Search features and functions.

### 1.4. Navigating This User Guide

This user guide is intended to be used in electronic format. The electronic version allows you to search for words or strings of characters using the “Find” function in Adobe Acrobat®. The electronic version also includes embedded hyperlinks. Any time a chapter, section, or figure is referenced in the text, click the name and you will be taken to that location in the document.

Accessing the NOTAM Search User Guide Version 3.2 through the *Help* link in NOTAM Search ensures that you are using the most up-to-date version of the user guide. Printing this user guide is not recommended; hard copies will not be provided.

Notes are provided to call attention to important or additional information. Notes—indicated by the word “NOTE” in upper case letters and enclosed in a border—immediately follow the information to which they apply.

## 1.5. Limitations

This user guide contains many figures to help illustrate NOTAM Search functions, which serve only as examples. To make the document easier to read, every effort was made to present the figures on the same page that they are referenced.

This user guide should not be considered a training document. It does not identify learning objectives, nor does it contain structured practice exercises to assess learning or skill acquisition. However, it does represent a comprehensive source of information about NOTAM Search and could be used to guide training for NOTAM users.



## Chapter 2. Introduction to FNS NOTAM Search

This chapter provides a general overview of NOTAM Search, including background, access to NOTAM Search, and how to submit feedback. See Chapter 3 for an overview of NOTAM Search features.

### 2.1. Background

The Federal NOTAM System (FNS) is the modernized Notice to Airmen (NOTAM) system designed to digitize the collection, dissemination, and storage of NOTAMs. The goal is to create a single authoritative source for NOTAM entry and dissemination to improve the efficiency, safety, and data quality of NOTAM information. For more information about the FNS, please visit the following URL: <https://notams.aim.faa.gov/>.

NOTAM Search was developed as a web interface searching tool leveraging digital NOTAMs for the general public. The site provides the general public, such as general aviation pilots, airline dispatchers and airport operations personnel the ability to search the FNS for active digital and non-digital NOTAMs. Capabilities of digital NOTAMs include NOTAM translations from domestic FAA format to a simulated International Civil Aviation Organization (ICAO) format and plain text. NOTAM Search also allows the ability to sort NOTAMs by location, NOTAM number, Class, Start and End Date and the NOTAM condition. The NOTAM Search tool allows all members of the public to search for active NOTAMs in the United States NOTAM System (USNS).

### 2.2. Access to NOTAM Search

To reach NOTAM Search directly through your Web browser, use the following URL: <http://notams.aim.faa.gov/notamSearch/>. NOTAM Search is designed for use with Google Chrome® or Mozilla Firefox®.

### 2.3. NOTAM Search Points of Contact

Users of NOTAM Search can submit comments directly to the FNS development team through the *Feedback* link on the NOTAM Search main screen. Click the *Feedback* link in the *Administrative* toolbar located at the top right corner of the main screen to open the *Feedback* pop-up (see Section 0 for a description of the *Administrative* toolbar). Enter your Name, Organization, Email and comments, and click *Submit* to send your comments (see Figure 1 below).

NOTE: The comments you provide help improve the NOTAM Search application. The *Feedback* pop-up is not intended to be used to report issues with the USNS or any NOTAM in particular.



 **FNS Feedback**

This feedback helps improve FNS Application(s) and is not affiliated with the United States NOTAM System or any NOTAM in particular.  
All fields marked (\*) are required.

FNS Application: ☐ NOTAM Manager ☐ EN-II ☒ NOTAM Search ☐ ATC NOTAM Search ☐ Self-Certification ☐ General FNS Applications ☐ FNS Administration ☐ FNS Operations

First Name\*:  Last Name\*:

Organization\*:  Job Title:

Email\*:  Phone Number:

Comments\*:

**Figure 1: Feedback Pop-Up**

## 2.4. Overview of Class Definitions

The FNS NOTAM Search application will include a categorization of NOTAMs by class in the NOTAM Summary. Query results in NOTAM Search can be sorted or filtered by class.

NOTAM Search will initially support the following classes with associated keywords:

- AERODROME – NOTAMs issued on the aerodrome (airport), movement areas, and associated lighting
  - Keyword: AD
  - Keyword: APRON
  - Keyword: RWY
  - Keyword: TWY
- AIRSPACE – NOTAMs issued on special activity airspace and navigation warnings
  - Keyword: AIRSPACE
- CHART – NOTAMs issued on aeronautical information
  - Keyword: CHART
- COMMUNICATIONS – NOTAMs issued on communications and surveillance facilities
  - Keyword: COM
- DATA – NOTAMs issued on data sources
  - Keyword: DATA

- OBSTRUCTION – NOTAMs issued on obstructions and other advisories
  - Keyword: OBST
- MILITARY – NOTAMs issued by the Department of Defense pertaining to flight safety for unique military situations
- NAVAID – NOTAMs related to Navigational Aids and the availability or usability of Global Navigation Satellite Systems (GNSS)
  - Keyword: NAVAID
- PROCEDURE – NOTAMs containing information on published flight procedures and holding procedures
  - Keyword: ODP
  - Keyword: SID
  - Keyword: STAR
  - Keyword: IAP
  - Keyword: VFP
  - Keyword: SPECIAL
- SERVICES – NOTAMs issued for Air Traffic Management and Aerodrome Services
  - Keyword: SERVICE
- ROUTE – NOTAMs issued on Air Traffic Service (ATS) routes
  - Keyword: ROUTE
- OTHER – NOTAMs that do not meet any of the above criteria
  - Keyword: (O)
  - Anything that does not match another class criteria
- INTERNATIONAL – NOTAMs originated in other countries

## Chapter 3. Overview of NOTAM Search Features

This chapter briefly describes the features of NOTAM Search. More specifically, this chapter includes descriptions of the main screen search options, panes, toolbars, action buttons, and other special features.

### 3.1. Create an account

Creating a personal account allows the user to save queries. When the user is logged in, their saved queries can be accessed on the NOTAM Search homepage at any time.

The image shows two screenshots of the FNS NOTAM Search website's registration process. The top screenshot shows the 'Sign In' and 'Register' options. The bottom screenshot shows the 'New User Registration' form with various fields and a CAPTCHA.

**1. Select Sign in**

**2. Click Register**

**3. Enter personal information**

**4. Create Password**

**5. Type Image**

**6. Click Submit**

Figure 2: Creating an Account

**NOTE:**

Inactive accounts will automatically be deleted from the system after 365 days. Inactive means that the user has not logged into their account. Users will be sent an email notification 30 days prior to the deletion of their account.

### 3.2. Log In

Once registered, the user may log into the account by clicking the “Log In” tab found in the Administrative Toolbar (See Figure 3). Enter the email address and password associated with the account. A “Forgot Password” tab is available if the user has forgotten their password.

The screenshot shows a web interface for logging in. At the top, there is a blue header bar with a 'Back to Search' button on the left and a 'Login into NOTAM Search' button on the right. Below the header, a message states 'Fields marked \* are required'. The form contains two input fields: 'Email Address\*' with the value 'john.doe@faa.gov' and 'Password\*' with masked characters. Below these fields are two buttons: 'Forgot Password' and 'Register'. A blue 'Login' button is located at the bottom right of the form. Two yellow callout boxes provide additional instructions: one points to the email and password fields with the text 'Enter email address and password to log in', and the other points to the 'Forgot Password' button with the text 'To reset password: Click Forgot Password, enter email address and last name. An email will be sent to the user with a link to reset the password.'

**Figure 3: Log In**

**NOTE:**

- Accounts will be suspended if password is entered incorrectly 3 times.
- The account will be suspended for 20 minutes before the user can attempt to log in again. The user will still be able to access NOTAM Search during suspension.
- Passwords are required to be changed every 90 days. The system will prompt the user to change the password.

### 3.3. Search Screen

In this section, you will find a brief description of the panes and toolbars found on the NOTAM search screen. Figure 4 below shows the main screen that is displayed when you initially load the page.




Figure 4: Search Screen

#### NOTE:

The Saved Queries function is available to all registered users. It will retain the last 20 searches completed and saved by the user. The History tab will display the last 10 searches completed by the user.


### 3.4. Search Options

The search options are located on the left hand side of the Search screen. These search options are described in more detail on the following pages.



**Figure 5: Search Options**

3.4.1. Search By: Location allows you to search for active NOTAMs based on the affected location designator(s) of the NOTAM.



**Figure 6: Search By Location**

**NOTE:**

Multiple locations can be entered using the “Search By: Location” option. Example: “ORD, JFK” will return all NOTAMs with affected location designators matching ORD or JFK airports.

3.4.2. Search By: Flight Path allows you to enter 2 to 20 airports, navigational aids, named fixes, and/or routes/airway designators to define a flight path.

Additional Flight Path search parameters include:

- Buffer
  - 1 to 125 NM on each side of the flight path (default is 4 NM)
    - For the en-route designators; if an airfield and a navaid have the same identifier, the navaid coordinates are used.
  - 1 to 125 NM on each side of the departure and arrival airfields
    - For the first and last entries in the flight path, the airfield coordinates are used.

**NOTE:**

- If no buffer is entered by the user for the departure/arrival airfields, FNS NOTAM Search shall automatically use the buffer entered for the flight path.
- If a buffer is entered by the user for the departure/arrival airfields, it must be greater than or equal to the buffer entered for the flight path.
- If an airfield does not share an identifier with a navaid, the airfield coordinates are used.
- If a navaid does not share an identifier with an airport, the navaid coordinates are used.
- Named fixes use their assigned coordinates.

- Alternate Airfields
  - Returns NOTAMs for up to 5 alternate airfields in addition to the flight path.
- En-Route Facilities (Selected by default)
  - Returns all query results for designators that fall within the user-defined flight path and buffer.
- ARTCC NOTAMs
  - Returns NOTAMs against ARTCC locations whose boundaries contain or are intercepted by the flight path and buffer.



- ARTCC TFR NOTAMs (Selected by default)
  - This option is a subset of the “ARTCC NOTAMs” checkbox. Only TFR NOTAMs that are issued against ARTCC locations whose boundaries contain or are intercepted by the flight path and buffer will be returned.
- Regulatory Notices
  - Returns all regulatory notices.
- Runway Minimum Length/Minimum Width will return all query results for a minimum surface length and/or width (in feet). Only airports that have at least one runway that meets all of the entered criteria will be returned in the results summary. These options are only applied to airfields (not Nav aids or ARTCCs for example), and they are not applied to the departure, arrival, or alternate airfields identified by the user.
- Runway surface type will return all queries for a specific Runway Surface Type:
  - Hard surface types include: Asphalt, Asphalt-Concrete, Asphalt-Dirt, Asphalt-Gravel, Treated Asphalt, Asphalt-Turf, Concrete, Concrete-Gravel, Treated Concrete, Concrete-Turf, and Porous European Mix (PEM)
  - Soft surface types include: Caliche, Coral, Dirt, Dirt-Gravel/Gravel-Dirt, Treated Dirt, Grass, Graded or Rolled Earth (GRE), Gravel, Treated Gravel, Gravel-Turf/Turf-Gravel, Mats, Oil and Chip, Perforated Steel Plate (PSP), Sand, Treated, Turf, Turf-Dirt, Turf-Sand, and Treated Turf
  - Water surface types include: Water

The screenshot displays a web-based search interface for flight paths. At the top, a blue header bar indicates the current search: "Flight path search on 'DCA, JFK'. 40 NOTAM(s) found." To the right of this bar are several tabs: "All NOTAMs", "Departure", "Arrival", "Alternate Airfields", and "En-Route". Further right are buttons for "Change Search" and "Save Query".

Below the header, the interface is organized into several sections:

- Flight Path:** A dropdown menu is set to "Flight Path".
- History and Saved Queries:** Two buttons labeled "History" and "Saved Queries" are located on the left.
- Search Parameters:**
  - Flight Path:** A text input field contains "DCA JFK" with a green checkmark icon to its right.
  - Buffer:** A text input field contains "4" with a unit dropdown set to "NM." and a green checkmark icon to its right.
  - Alternate Airfields:** A text input field contains "UP TO 5 ALTERNATE AIRFIELDS" with a search icon to its right.
  - Filters:** A section with checkboxes for "En-Route Facilities" (checked), "Regulatory Notices", "ARTCC NOTAMs", and "ARTCC TFR NOTAMs" (checked).
  - Additional Search Parameters:**
    - Depart/Arrive Buffer:** A text input field contains "1-125 NM." with a unit dropdown set to "NM.".
    - Runway:** Two input fields for "Min. Length" and "Min. Width" are shown, each with a unit dropdown set to "FT".
    - Runway Surface:** Three checkboxes for "Hard", "Soft", and "Water" are shown.
- Action Buttons:** On the right side, there are two buttons: a blue "Search" button with a magnifying glass icon and an orange "Reset" button with a circular arrow icon.

**Figure 7: Search By Flight Path**

**NOTE:**

- The first and last entries in the flight path must be airport designators.
- If the flight path contains a route/airway, the route/airway must contain the location identifier, navigational aid, and/or named fix designators entered by the user immediately before and after the route/airway to determine the applicable segment.  
Example: HLI, V54, MSL would include the segment of V54 between HLI and MSL
- Consecutive routes/airways cannot be entered in the user-defined flight path (see above).
- The system does not accept Standard Instrument Departures (SIDs) or Standard Terminal Arrival Routes (STARs) in the flight path query.
- Runway length/width/surface type filters are referring to airfields only (will not return information for non-airfield locations such as ARTCCs).

3.4.3. Search By: Geography allows you search for active NOTAMs within a geographic area.  
Search parameters include:

- A location designator
- A radius (up to 100 Nautical Miles – (NM))

Search by Geography

Geography Location Designator of central Location (ex: JFK) Radius (NM) 10 Search

**Figure 8: Search By Geography**

3.4.4. Search By: Lat/Long allows you to search for active NOTAMs based on specific coordinates for the desired location.

Search by Lat Long

Lat/Long Latitude deg 0 0 N S Longitude deg 0 0 W E Radius 10 Search

**Figure 9: Search By Lat/Long**

3.4.5. Search By: Free Text allows you to search for active NOTAMs based on a keyword, airport designator, NOTAM number and/or scenario.

Figure 10: Search By Free Text

#### Some Sample Tips for Using Free Text Search:

For narrowed results, search with the location identifier and additional information:

- “ORD TWY” (to see all Taxiway NOTAMs at Chicago O’Hare International)
- “JFK CLSD” (to see all NOTAMs indicating closed surfaces at New York JFK)

To search a geographic area, such as a state or country enter:

- “VIRGINIA” (to see all NOTAMs with affected locations in Virginia)
- “CANADA” (to see all Canadian NOTAMs)

3.4.6. Search By: Accountability allows you to search for NOTAMs based on the accountability designator. Accountability refers to the facility/airport responsible for the issuance of the NOTAM (e.g. DCA, DEN, LAS).

Figure 11: Search By Accountability

#### Examples:

FDC NOTAM with accountability of DCA:

!FDC **0/2665** (KDFW-A4044/20) DFW IAP DALLAS-FORT WORTH INTL, DALLAS-FORT WORTH, TX. ILS RWY 17R (SA CAT I AND CAT II), AMDT 23D ... PROCEDURE NA 2004021246-2203301245EST

Domestic NOTAM with accountability same as location:

!ORD **01/173** (KORD-A0312/20) ORD TWY D BTN TWY KK AND TWY C3 CLSD 2001071919-2008311100

Domestic NOTAM with accountability different than the location:

!DCA **05/168** (KDCA-A0817/19) OTT NAV VOR OUT OF SERVICE 1905101845-PERM

3.4.7. Search By: Archive Search allows you to search for active NOTAMs for a specific date.

Figure 12: Search By Archive Search

3.4.8. Search By: NOTAMs Around Me will display all NOTAMs within 20 nautical miles (NM) of your current Lat/Long location.

This feature requires the user to allow the browser to access/share the location. This configuration is typically found as part of the privacy and security settings within the browser. If the user has concerns regarding sharing their location, then they should use the Lat/Long search and enter the coordinates manually. Also, the location coordinates identified by the browser can be inaccurate. This is especially true if the user is accessing the application via a proxy or a VPN server. The map tab within the application can be used to visually confirm the selected coordinates.

	Location	Number	Class	Start Date UTC	End Date UTC	Condition
	MCI	N/A	Aerodrome	04/29/2016 1148	PERM	ON AIRPORT - SEE CONSTRUCTION GRAPHIC
	MCI	06/149	Aerodrome	06/18/2019 1438	PERM	TWY L CLSD TO ACFT WINGSPAN MORE THAN 118FT 1906181438-PERM
	MCI	02/112	Communi...	02/20/2020 0001	PERM	COM VOR VOICE 122.1 U/S 2002200001-PERM
	MCI	9/2068	Procedure	10/08/2019 1801	01/15/2024 1801EST	IAP KANSAS CITY INTL, Kansas City, MO. ILS OR LOC RWY 9, AMDT 14A... S-ILS 9 DA 1315/HAT 300 ALL CATS...
	MCI	9/2069	Procedure	10/08/2019 1801	01/15/2024 1801EST	IAP KANSAS CITY INTL, Kansas City, MO. RNAV (RNP) Z RWY 9, AMDT 1A... RNP 0.30 DA 1458/HAT 443 ALL CAT...
	MCI	9/2070	Procedure	10/08/2019 1801	01/15/2024 1801EST	IAP KANSAS CITY INTL, Kansas City, MO. RNAV (GPS) Y RWY 9, AMDT 2A... LPV DA 1368/HAT 353 ALL CATS. LN...
	MCI	9/2071	Procedure	10/08/2019 1801	01/15/2024 1801EST	IAP KANSAS CITY INTL, Kansas City, MO. RNAV (GPS) Y RWY 1L, AMDT 2B... LPV DA 1352/HAT 338 ALL CATS. VI...
	MCI	0/1038	Procedure	03/26/2020 1135	11/05/2020 1135	IAP KANSAS CITY INTL, KANSAS CITY, MO. ILS OR LOC RWY 1L, AMDT 16... S-ILS 1L DA 1352/HAT 338 ALL CAT...

Figure 13: Search By NOTAMs Around Me

3.4.9. Search By: Predefined Queries allows you to search for specific groups of NOTAMs

Figure 14: Search By Predefined Queries

- **ARTCC TFR NOTAMs** will return all FDC accountability NOTAMs that contain the text “FLIGHT RESTRICTION(S)” in the first 200 characters of the NOTAM text.

Example: !FDC **0/3488** ZBW MA..AIRSPACE HANOVER, MA..TEMPORARY FLIGHT RESTRICTION WI AN AREA DEFINED AS 1 NM RADIUS OF 420521N0705216W (BOS178016.9) SFC-2499FT FOR EXPLOSIVE DEVICE CLEAN UP. PURSUANT TO 14 CFR SECTION 91.137(A)(1) TEMPORARY FLIGHT RESTRICTIONS ARE IN EFFECT. ONLY RELIEF ACFT OPS UNDER DIRECTION OF HANOVER FIRE DEPT ARE AUTH IN THE AIRSPACE. HANOVER FIRE DEPT, TELEPHONE 781-826-2335X0, IS IN CHARGE OF ON SCENE EMERG RESPONSE ACTIVITY. BOSTON /A90/ APCH, TELEPHONE 603-594-5551, IS THE FAA CDN FACILITY. MON-FRI 1200-2100 EXC HOLIDAY. 2003091200-2006262100

- **CARF NOTAMs** will return all NOTAMs that have an accountability of CARF.

Example: !CARF **04/030** ZAK AIRSPACE DCC MASTER STNR ALT RESERVATION WI AN AREA DEFINED AS 1943N13054E TO 2009N13119E TO 1655N13650E TO 1505N14055E TO 1434N14045E TO 1625N13636E TO 1715N13455E TO POINT OF ORIGIN FL250-FL280 2004211500-PERM

- **FDC Special Notices** will return all FDC NOTAMs that contain the text “SPECIAL NOTICE” in the first 55 characters of the NOTAM condition text.

Example: !FDC **6/8818** FDC ...SPECIAL NOTICE...IN THE INTEREST OF NATIONAL SECURITY AND TO THE EXTENT PRACTICABLE, PILOTS AND UAS OPERATORS ARE STRONGLY ADVISED TO AVOID THE AIRSPACE ABOVE OR IN CLOSE PROXIMITY TO CRITICAL INFRASTRUCTURE AND OTHER SENSITIVE LOCATIONS SUCH AS POWER PLANTS (NUCLEAR, HYDRO-ELECTRIC, OR COAL), DAMS, REFINERIES, INDUSTRIAL COMPLEXES, MILITARY FACILITIES, CORRECTIONAL AND LAW ENFORCEMENT FACILITIES UNLESS OTHERWISE AUTHORIZED. PILOTS AND UAS OPERATORS SHOULD NOT CIRCLE AS TO LOITER IN THE VICINITY OVER THESE TYPES OF FACILITIES. 1603231538-PERM

- **GPS NOTAMs** will return all NOTAMs that have an accountability of GPS.

Example: !GPS **04/008** ZLA NAV GPS (GPS\_AZ GPS 20-20) (INCLUDING WAAS, GBAS, AND ADS-B) MAY NOT BE AVBL WI A 174NM RADIUS CENTERED AT 332345N1142143W (BLH110023) FL400-UNL, 174NM AT FL250, 126NM RADIUS AT 10000FT, 113NM RADIUS AT 4000FT AGL, 73NM RADIUS AT 50FT AGL. DLY 1830-2230 2004201830-2004242230

- **Pacific Tracks** will return all INTL (international) classification NOTAMs where the ICAO identifier is KZAK or RJJJ and the first 150 characters of the NOTAM condition contains the text "PACOTS" or the first 50 characters of the NOTAM condition contains the text "TDM TRK".

Example: **A3700/15** - (TDM TRK 8 150925070001

1509250700 1509252100  
 PASRO POWAL PLADO PINSO POOFF PINTT PTZGR 58N170W EHM ODK  
 CJAYY  
 GRIZZ HMPTN KATCH  
 RTS/PEXEL A590 PASRO  
 KATCH YZP UPR KDFW  
 RMK/0). 25 SEP 07:00 2015 UNTIL 25 SEP 21:00 2015. CREATED: 24 SEP 18:34  
 2015

- **North Atlantic Tracks** will allow a user to retrieve and display North Atlantic Tracks data from Gander, Canada (CZCQZQZX) and Shanwick, Ireland (EGGXZOZX). \*NOTE: These are not actual NOTAMs

### 3.5. Accessing TFR NOTAMs

A Temporary Flight Restriction (TFR) defines an area restricted to air travel due to a hazardous condition, special event, or a general warning for the entire FAA airspace. The NOTAM text of the actual TFR contains the details of the restriction. FNS NOTAM Search application provides multiple different query options to get TFR NOTAMs. The various options and the methods to query them are detailed in the following sections.

Before the query options are discussed, the details of the TFR filter are discussed, as that feature will be used to get the TFR NOTAMs in each of the query options. Figure 15 below shows the filter section available in all the query options. When the “Filters” option is expanded, TFR is an available option within the Airspace section. Selecting “TFR” filter will filter the query output to display only TFR NOTAMs.

Quick text filter:

Keyword(s): All None

- Aerodrome(5)
- Airspace(3)
  - AIRSPACE
  - CARF
  - ☒ TFR
  - Chart

☒ Include RNAV NOTAMs


	Date (in UTC)	Hr	Min
Start	yyyy-MM-dd	0	0
End	yyyy-MM-dd	23	59

Apply Clear My Default Help

Figure 15: TFR Filter

### 3.5.1. Using Location Query

The location query (discussed in Section 3.4.1) is used to query NOTAMs by the affected location identifier. The affected location identifier for a TFR NOTAM is always an Air Route Traffic Control Center (ARTCC). The exception is when a generic or an area larger than an ARTCC has to be issued. In this case, the affected location identifier used would be “FDC”. An ARTCC identifier is used to issue numerous other NOTAMs including but not limited to Airspace, Route, Procedure, and Communication NOTAMs. The TFR NOTAMs from this list can be obtained by using the TFR filter option discussed above. An example is shown below where NOTAMs in the ZDC ARTCC are queried using the location search feature, then the TFR filter is applied to get only TFR NOTAMs where ZDC is the affected location identifier.



Searched at: 2019-11-04 17:45:28 UTC 54 NOTAM(s) filtered.

→ Location search on location(s) ZDC. 1 NOTAM(s) found. [Change Search](#)

List Table Map Beta Filters 54 Sort Count 55


	Location	Number	Class	Start Date UTC	End Date UTC	Condition
	ZDC	1/1155	Airspace	01/10/2011 2050	PERM	DC .. FLIGHT RESTRICTIONS, WASHINGTON, DC. EFFECTIVE 11011020...

Figure 16: Using the TFR Filter in Location Query

In Figure 16 above, out of the total 55 NOTAMs with ZDC as the affected location identifier, one TFR NOTAM is obtained by applying the TFR filter. This is highlighted in the orange color box where it shows 54 NOTAMs are filtered out of the total 55.

### 3.5.2. Using Flight Path Query

Similar to the location query, a simple flight path query is used between IAD to JFK and TFR NOTAMs are obtained by applying the TFR filter. As Figure 17 illustrates, 171 NOTAMs are filtered out to display 2 TFR NOTAMs covering the ZDC and ZNY ARTCCs.



Searched at: 2019-11-04 18:06:15 UTC 171 NOTAM(s) filtered.

→ Flight path search on 'IAD, JFK'. 2 NOTAM(s) found. [All NOTAMs](#) [Departure](#) [Arrival](#) [Alternate Airfields](#) [En-Route](#) [Change Search](#)


List Table Map Beta Filters 171 Sort Count 173

	Location	Number	Class	Start Date UTC	End Date UTC	Condition
	ZDC	1/1155	Airspace	01/10/2011 2050	PERM	DC .. FLIGHT RESTRICTIONS, WASHINGTON, DC. EFFECTIVE 1101102040 UTC UNTIL FURTHER NOTICE. THIS NOTICE WILL REPLACE NOTAM 0/9463 DUE TO TECHNICAL ...
	ZNY	7/5997	Airspace	01/19/2017 2220	PERM	ZNY PART 1 OF 3 NY..AIRSPACE NEW YORK, NEW YORK..TEMPORARY FLIGHT RESTRICTIONS. JANUARY 19, 2017 LOCAL. PURSUANT TO 49 USC 40103(B), THE FEDER...

Figure 17: Using the TFR Filter in Flight Path Query

### 3.5.3. Using Geography, Lat/Long Query and NOTAMs Around Me

The geography query in Figure 18 shows NOTAMs in a 10 NM radius around SFO with the TFR filter applied. The map view is shown to demonstrate the results where the two TFRs affecting ZOA ARTCC are displayed. Query uses the coverage of ZOA center to include the results. The Lat/Long query option can also be used similarly except the specific latitude and longitude of the desired center point can be entered in degrees, minutes and seconds. The NOTAMs Around Me feature also works similarly except the location services must be enabled in the browser. With this feature on, the browser automatically identifies your location and performs a search similar to the geography search. As mentioned in Section 3.4.8, the NOTAMs Around Me feature may not pick the correct coordinates and is dependent on how the browser accesses the application (see Section 3.4.8).



**Figure 18: Using the TFR Filter in Geography Query**

### 3.5.4. Predefined Queries

This query option includes six different predefined query sets. The first one is called “ARTCC TFR NOTAMs”, which should provide all the TFR NOTAMs issued against all the ARTCCs in the United States. The only TFR NOTAMs that will not be available using this option are the ones issued against the FDC identifier, which are not location specific.



### 3.6. Main Screen

- In this section, you will find a brief description of the Main Screen. This screen is displayed when the search feature is activated. Figure 19 below shows the different panes and toolbars within the Main Screen. These panes and toolbars are described in more detail on the following pages.

The screenshot shows the FAA FNS NOTAM Search interface. At the top is the 'Administrative Toolbar' with the FAA logo, 'FNS NOTAM Search' title, and user information 'Welcome, Amy K.' along with links for Log Out, Disclaimer, Feedback, Help, and External Links. Below this is a search bar area with a 'Search Results Pane' callout pointing to the search input and a 'Filters and Special Icons Pane' callout pointing to the filter and icon controls. A 'Change Search or Save Query' callout points to the 'Change Search' and 'Save Query' buttons. The main content area is a table of NOTAMs, with a 'NOTAM Summary Pane' callout pointing to the table. The table has columns for Location, Number, Class, Start Date UTC, End Date UTC, and Condition. The data is as follows:

Location	Number	Class	Start Date UTC	End Date UTC	Condition
DCA	N/A	Aerodrome	09/11/2019 2230	PERM	AD DCA CONSTRUCTION ON AIRPORT - SEE CONSTRUCTION GRAPHIC
DCA	02/264	Communi...	02/20/2020 1100	PERM	IDCA 02/264 DCA COM COM FALLS CHURCH REMOTE COM OUTLET 122.2 U/S 2002201100-PERM
DCA	12/042	Aerodrome	12/03/2017 2049	PERM	IDCA 12/042 DCA TWY N BTN APCH END RWY 15 AND TWY K CLSD TO ACFT WINGSPAN MORE THAN 124FT 1712032049-PERM
OTT	05/168	Navaid	05/10/2019 1845	PERM	IDCA 05/168 OTT NAV VOR OUT OF SERVICE 1905101845-PERM
DCA	06/265	Communi...	06/20/2019 0001	PERM	IDCA 06/265 DCA COM REMOTE TRANS/REC 319.1 CHANGED TO 239.25 1906200001-PERM
DCA	06/266	Communi...	06/20/2019 0001	PERM	IDCA 06/266 DCA COM REMOTE TRANS/REC 269.0 CHANGED TO 360.8 1906200001-PERM
DCA	08/182	Obstruction	08/15/2019 1000	PERM	IDCA 08/182 DCA OBST BLDG LGT (ASN 2018-AEA-6441-OE) 385213N0770235W (1.2NM NNW DCA) 78FT (67FT AGL) U/S 1908151000-PERM
DCA	03/390	Airspace	03/31/2020 0127	PERM	IDCA 03/390 DCA AIRSPACE SEE FDC 1/1155, 9/1811, 0/0053, 9/1812, 0/3929 ZDC SPECIAL SECURITY INSTRUCTIONS 2003310127-PERM
DCA	02/248	Obstruction	02/18/2020 1653	09/30/2022 2359	IDCA 02/248 DCA OBST CRANE LGT (ASN 2019-AEA-1836-OE) 385529N0771242W (9.1NM WNW DCA) 891FT (606FT AGL) U/S 2002181653-2209302359
DCA	02/246	Obstruction	02/18/2020 1651	08/27/2022 2359	IDCA 02/246 DCA OBST CRANE LGT (ASN 2019-AEA-1833-OE) 385529N077 (9.2NM WNW DCA) 725FT (409FT AGL) U/S 2002181651-2208272359

Figure 19: Overview of the Main Screen

### 3.7. Administrative Toolbar



Figure 20: Administrative Toolbar

The Administrative toolbar is located in the top right corner of the Main Screen. It contains the following options:

- Log In/Log Out
  - If the user is not logged in, a Log In tab will be available, which allows the user to log into the registered account. Once logged in, the user's account name will display. The user may then click on his or her name to perform additional tasks such as:
    - Change Profile: First and Last name may be modified.
    - Change Password: Password may be updated at any time.
    - Saved Queries: All queries saved by the user will be listed. Each query may be edited or deleted and will display the date and time it was saved.
    - Preferences:
      - User may preset particular filters to display; including keywords such as Navaid, Runway, or Obstruction.
      - User may preset NOTAM results to display specific "sort" options such as Location, Class, or Condition.
      - User may preset NOTAM results to be displayed in different formats such as List, Table, or Map. The user may also control which fields are included in the search results, such as Location, Number, Class, Start Date, or End Date.

**Filters**

Quick text filter:

Keyword(s):

- ☐ Aerodrome-AD
- ☐ Aerodrome-APRON
- ☐ Aerodrome-CONSTRUCTION
- ☐ Aerodrome-RWY
- ☐ Aerodrome-TWY
- ☐ Aerodrome-AIRSPACE

☐ All Classes / Keywords

RNAV NOTAMS: ☐ Include

**Sort**

- ☐ Location
- ☐ Number
- ☐ Class
- ☐ Start Date UTC
- ☒ End Date UTC
- ☐ Condition

**Other Preferences**

Default View Type:

Field(s) in Table View: ☐ Location ☐ Number ☐ Class ☐ Start Date UTC ☐ End Date UTC ☐ Condition ☒ Show full NOTAM text in table view

**Figure 21: Preferences**

- If the user is logged in, a Log Out tab will be available, which allows the user to log out of their account. If the user does not log out, they will remain logged in for up to 1 week (depending on personal computer settings) before the system requires the user to log in again.
- Disclaimer displays the NOTAM Search disclaimer.
- Feedback allows you to submit comments about NOTAM Search.
- Help provides the following support:
  - Access to a PDF version of this user guide
  - Access to “How To” Videos. These videos, created via You Tube®, will walk the user through the functionality of the NOTAM Search site.
- External Links provides a link to the Notices to Airmen Publication (NTAP) and FAA Web Policies and Notices.

### 3.8. Search Results

The Search Results pane is located in the upper left corner of the Main Screen and contains the following features:



**Figure 22: Search Results Pane and Options**

- Displays the date and time (UTC) in which the search was conducted.
- Specifies the selected search option (i.e. Location, Flight Path, etc.).
- Displays the number of NOTAMs found.
- Provides a link to change the search parameters.
- Provides a link to display saved search queries.

### 3.9. Filters and Special Icons Pane

The Filter and Special Icons pane is located above the NOTAM Summary Pane. The user can view, filter, and sort the displayed NOTAMs.



Figure 23: Filters and Special Icons Pane

3.9.1. List View will display the NOTAM information in block format. The following information will be displayed:

- Location (affected location identifier)
- NOTAM #
- Class (Aerodrome, Airspace, Chart, Communication, Data, International, Military, Navaid, Obstruction, Other, Procedure, Route, Security, Services)
- Issue Date UTC (date and time of NOTAM publication)
- Start Date UTC (effective start date and time of the NOTAM)
- End Date UTC (expiration date and time of the NOTAM)
- NOTAM Condition (full NOTAM text)
- NOTAM Domestic Format




Figure 24: List View

3.9.2. Table View will display the NOTAMs in a condensed format. Column headers along the top will allow the user to sort NOTAMs by selecting a specific column header.

Location search on location(s) DCA. 36 NOTAM(s) found.

Change Search Save Query

List Table Map Beta

Filters Sort Count 36

Column Headers

Location	Number	Class	Start Date UTC	End Date UTC	Condition
DCA	N/A	Aerodrome	09/11/2019 2230	PERM	AD DCA CONSTRUCTION ON AIRPORT - SEE CONSTRUCTION GRAPHIC
DCA	02/264	Communi...	02/20/2020 1100	PERM	IDCA 02/264 DCA COM COM FALLS CHURCH REMOTE COM OUTLET 122.2 U/S 2002201100-PERM
DCA	12/042	Aerodrome	12/03/2017 2049	PERM	IDCA 12/042 DCA TWY N BTN APCH END RWY 15 AND TWY K CLSD TO ACFT WINGSPAN MORE THAN 124FT 1712032049-PERM
OTT	05/168	Navaid	05/10/2019 1845	PERM	IDCA 05/168 OTT NAV VOR OUT OF SERVICE 1905101845-PERM
DCA	06/265	Communi...	06/20/2019 0001	PERM	IDCA 06/265 DCA COM REMOTE TRANS/REC 319.1 CHANGED TO 239.25 1906200001-PERM
DCA	06/266	Communi...	06/20/2019 0001	PERM	IDCA 06/266 DCA COM REMOTE TRANS/REC 269.0 CHANGED TO 360.8 1906200001-PERM
DCA	08/182	Obstruction	08/15/2019 1000	PERM	IDCA 08/182 DCA OBST BLDG LGT (ASN 2018-AEA-6441-OE) 385213N0770235W (1.2NM NNW DCA) 78FT (67FT AGL) U/S 1908151000-PERM
DCA	03/390	Airspace	03/31/2020 0127	PERM	IDCA 03/390 DCA AIRSPACE SEE FDC 1/1155, 9/1811, 0/0053, 9/1812, 0/3929 ZDC SPECIAL SECURITY INSTRUCTIONS 2003310127-PERM
DCA	02/248	Obstruction	02/18/2020 1653	09/30/2022 2359	IDCA 02/248 DCA OBST CRANE LGT (ASN 2019-AEA-1836-OE) 385529N0771242W (9.1NM WNW DCA) 891FT (606FT AGL) U/S 20021816 2209302359
DCA	02/246	Obstruction	02/18/2020 1651	08/27/2022 2359	IDCA 02/246 DCA OBST CRANE LGT (ASN 2019-AEA-1833-OE)

Figure 25: Table View

3.9.3. Map View will display a map of the selected search parameters (e.g. location, flight path, etc.) Specific icons can be selected to view: Airports, Nav aids, ARTCC facilities, Weather, and RCO.




Figure 26: Map View

3.9.4. Filters allow the user to select one or more classes of NOTAMs and filter the list accordingly. The user can also specify a particular date and time.

The screenshot displays a filter configuration interface. At the top, there are three tabs: 'Filters' (selected), 'Sort', and 'Count' (showing 47). Below the tabs is a 'Quick text filter' input field. The main section is titled 'Keyword(s):' and contains two buttons: 'All' (checked) and 'None'. Below this, there is a list of categories with checkboxes and counts: 'Aerodrome(5)' (checked), 'Airspace(3)' (unchecked), 'AIRSPACE' (unchecked), 'CARF' (unchecked), 'TFR' (unchecked), and 'Chart' (unchecked). A checkbox labeled 'Include RNAV NOTAMs' is also present. Below the keywords section is a table for date and time selection. The table has columns for 'Date (in UTC)', 'Hr', and 'Min'. The 'Start' row shows 'yyyy-MM-dd' for the date, '0' for the hour, and '0' for the minute. The 'End' row shows 'yyyy-MM-dd' for the date, '23' for the hour, and '59' for the minute. At the bottom, there are four buttons: 'Apply' (blue), 'Clear' (orange), 'My Default' (green), and 'Help' (grey).

	Date (in UTC)	Hr	Min
Start	yyyy-MM-dd	0	0
End	yyyy-MM-dd	23	59

Figure 27: Filter Options

3.9.5. Sort options allow sorting by affected location, NOTAM #, class, start date (UTC), end date (UTC) and NOTAM condition in ascending or descending order.




Figure 28: Sort Options

3.9.6. The Count filter includes the following features:

- The NOTAM Counts are displayed for each affected location contained in the search.
- The check boxes located to the left of each location identifier allow filtering of the search results by checking/unchecking the boxes.






Figure 29: Count by Identifier



### 3.9.7. Construction Notices

NOTAM Search contains a special feature that displays the Construction Notices for affected airports that are included in the search results. The Construction Notices can be identified by a special icon: . This icon will appear in the Special Icons Pane, as well as next to the Construction Notice in the Search Results. Clicking on the Construction Notice Link icon in the Special Icons Pane will display a pop-up with a link to the PDF.












	Location	Number	Class	Start Date UTC	End Date UTC	Condition
	DCA	N/A	Aerodrome	09/11/2019 2230	PERM	AD DCA C...
	DCA	02/264	Communi...	02/20/2020 1100	PERM	IDCA 02/26...
	DCA	12/042	Aerodrome	12/03/2017 2049	PERM	IDCA 12/042 DCA TWY N BTN APCH END RWY 15 AND TWY K CLSD TO ACFT WINGSPAN MORE THAN 124FT 1712032049-PERM
	OTT	05/168	Navaid	05/10/2019 1845	PERM	IDCA 05/168 OTT NAV VOR OUT OF SERVICE 1905101845-PERM
	DCA	06/265	Communi...	06/20/2019 0001	PERM	IDCA 06/265 DCA COM REMOTE TRANS/REC 319.1 CHANGED TO 239.25 1906200001-PERM
	DCA	06/266	Communi...	06/20/2019 0001	PERM	IDCA 06/266 DCA COM REMOTE TRANS/REC 269.0 CHANGED TO 360.8 1906200001-PERM
	DCA	08/182	Obstruction	08/15/2019 1000	PERM	IDCA 08/182 DCA OBST BLDG LGT (ASN 2018-AEA-6441-OE) 385213N0770235W (1.2NM NNW DCA) 78FT (67FT AGL) U/S 1908151000-PERM

Figure 30: Construction Notices in the Search Results

### 3.9.8. Letters to Airmen Notices

NOTAM Search contains a special feature that displays the Letters to Airmen Notices for affected airports that are included in the search results. The Letters to Airmen Notices can be identified by a special icon: . This icon will appear in the Special Icons Pane, as well as next to the Letters to Airmen Notice in the Search Results. Clicking on the Letters to Airmen Notice Link icon in the Special Icons Pane will display a pop-up with a link to the PDF.




	Location	Number	Class	Start Date UTC	End Date UTC	Condition
	DCA	LTA-PCT-26	LTA	09/11/2018 2100	09/11/2020 2100	FAA Aircra... Turbulence

Figure 31: Letters to Airmen Notice in the Search Results

### 3.9.9. Export to PDF

The Export to PDF function allows the user to save the search results in an Adobe PDF file. Upon clicking the PDF icon, a pop-up will prompt the user to either Open or Save the file. The PDF file indicates the conditions entered for the search and contains the following column headings:

- Location (affected location identifier)
- NOTAM #
- Class (Aerodrome, Airspace, Chart, Communication, Data, International, Military, Navaid, Obstruction, Other, Procedure, Route, Security, Services)
- Issue Date UTC (date and time of NOTAM publication)
- Start Date UTC (effective start date and time of the NOTAM)
- End Date UTC (expiration date and time of the NOTAM)
- NOTAM Condition (full NOTAM text)

### 3.9.10. Export to Excel

The Export to Excel function allows the user to save the search results in a Microsoft Excel file. Upon clicking the Excel icon, a pop-up will prompt the user to either Open or Save the file. The Excel file indicates the conditions entered for the search and contains the following column headings:

- Location (affected location identifier)
- NOTAM #
- Class (Aerodrome, Airspace, Chart, Communication, Data, International, Military, Navaid, Obstruction, Other, Procedure, Route, Security, Services)
- Issue Date UTC (date and time of NOTAM publication)
- Start Date UTC (effective start date and time of the NOTAM)
- End Date UTC (expiration date and time of the NOTAM)
- NOTAM Condition (full NOTAM text)


### 3.10. Save Query

The Save Query button appears after the user performs a query.


- Users are limited to 20 saved queries.
- User must delete saved queries in order to add new ones.
- After the query is saved the user can edit it by clicking on the user name in the Administrative Toolbar, and then selecting Saved Queries. Here the name of the query can be changed.

### 3.11. Special Icons/NOTAM Summary Pane


#### 3.11.1. Aerodrome Surface CLSD

NOTAM Search features a special icon, , that appears in the Search Results to indicate that an Aerodrome (AD), Runway (RWY), or Taxiway (TWY) is Closed (CLSD).


#### 3.11.2. Military NOTAM

NOTAM Search features a special icon, , that appears in the Search Results to indicate that a NOTAM result is a Military NOTAM.


#### 3.11.3. Digital NOTAM

NOTAM Search features a special icon, , that appears in the Search Results to indicate that a NOTAM result is a digital NOTAM. Digital NOTAMs are originated or transformed using FAA digital event scenarios and are stored in Aeronautical Information Exchange Model (AIXM) 5.1 format. The digital NOTAM can be translated into Domestic, simulated ICAO, and Plain Text formats and is georeferenced to the latitude and longitude of the feature that is the subject of the NOTAM.

#### 3.11.4. Field Condition (FICON)

NOTAM Search features a special icon, , that appears in the Search Results to indicate that a NOTAM result pertains to a Field Condition (FICON) NOTAM indicating contamination on the surface.

#### 3.11.5. NOTAM History Available

NOTAM Search features a special icon, , that appears in the Search Results to indicate that a NOTAM result has NOTAM history available.

### 3.12. NOTAM Details

The NOTAM Details pane appears when a NOTAM is selected from the NOTAM Summary Pane. NOTAM Details displays details about the NOTAM, including:

- Affected airport name
- NOTAM number
- Class
- Issue Date (UTC)
- Start Date (UTC)
- End Date (UTC)
- The full NOTAM text translated in Domestic, simulated ICAO, and Plain Text formats
- History, if available

The screenshot shows a web interface for NOTAM details at Chicago O'Hare Intl. The header bar is blue with the airport name and a 'Back to Results' button. Below the header, there's a section with key information: Facility (ORD), NOTAM # (03/649 (KORD-A5036/20)), Class (Aerodrome), and Status (Active). A row of dates follows: Issue Date UTC (03/25/2020 1349), Start Date UTC (03/25/2020 1327), and End Date UTC (05/13/2020 1100). Below this is a tabbed interface with four tabs: Domestic (selected), ICAO, Plain Language, and History. The Domestic tab displays the NOTAM text: '!ORD 03/649 ORD TWY A18 SAFETY AREA SOUTHWEST SIDE IRREGULAR SFC 2003251327-2005131100'. The other tabs are currently empty.

Figure 32: NOTAM Details Pane and Options